

PRODUCT DATA SHEET

HORN-30-COOL **IP67 Cool Room Horn Speaker**

FEATURES

- UV Stablised ABS construction
- Stainless steel mounting hardware
- High power output for increased SPL
- Rust-free stainless steel bracket
- Wide operating temperature range
- Ideal for cool rooms, marine and tropical environments
- Suitable for installation in exposed outdoor areas
- Rated to IEC529 IP67 for dust and water protection
- Fitted with line monitoring capacitor
- Selectable 100V line power taps 3.75W, 7.5W, 15W & 30W



PRODUCT DESCRIPTION

The HORN-30-COOL is specifically designed for applications with a high level of dust or moisture in the operating environment. The speaker is related to the IP67 dust and hose-proof standard. Made from tough UV stabilised ABS, this speaker includes stainless steel exterior metal hardware. Featuring an operating temperature range of -30°C to +60°C, this horn speaker can be utilised in schools, train and bus stations, airports, car parks and coolrooms. Power taps are selectable to suit the power of the amplifier or the area to be covered.

TECHNICAL SPECIFICATIONS

Rated Power	30W
Power Taps	3.75W, 7.5W, 15W & 30W
SPL	106dB, 1W @ 1m, 121dB at full power
Temperature Range	-30°C to +60°C
IP Rating	IEC529 / IP67
Frequency Response	500Hz - 7kHz
Flare Diameter	130mm Ø x 175mm
Weight	1.7kg

DIMENSIONS



